


# Illustrated Parts List

## CFF-1 Follow Focus One C1241-0001



**Original Instructions:** English

**Publication No.** C1241-0001-800/1

**Copyright © 2011**

All rights reserved throughout the world. No part of this document may be stored in a retrieval system, transmitted, copied or reproduced in any way, including, but not limited to, photocopy, photograph, magnetic or other record without the prior agreement and permission in writing of the Vitec Group plc.

**Disclaimer**

The information contained in this manual is believed to be correct at the time of printing. Vitec Videocom Limited reserves the right to make changes to the information contained in this book, product design, functionality and specifications without obligation to notify any person of such revision or changes. Changes will be incorporated in new versions of this publication.

**Trademarks**

All product trademarks and registered trademarks are the property of the Vitec Group Plc.

All other trademarks and registered trademarks are the property of their respective companies.

**Published by:**

Vitec Videocom Limited  
Supports Technical Publications Department  
William Vinten Building, Western Way  
Bury St Edmunds, Suffolk IP33 3TB

Email: [technical.publications@vitecgroup.com](mailto:technical.publications@vitecgroup.com)

## ILLUSTRATED PARTS LIST

## About this book

Use this book to identify spare parts for the product. Always select the version of this book that corresponds to the serial number of the product.

The printed version of this book may not be the current version. Always check online for the latest version of this book.

Exploded drawings are used to identify individual parts. The number of each part on the drawing is referenced in the standard parts list as the Item Number. Torque settings and consumables are also shown on the drawing.



**This book should not be used to disassemble, maintain or repair the product. Refer all servicing to qualified and trained service engineers.**

Individual parts that are only available in a Spares kit are identified in the Standard Parts List as **not sold separately** (NSS).

## About spare parts

### IMPORTANT NOTE:



**Some individual parts are often only available in spares kits and may not be for individual sale.**

All parts are shown on the exploded drawings with an item number that is referenced in the accompanying standard parts list. Not all parts are available individually as spares parts and some parts are only available in kits. Refer to the Spares Kits section of this book for all spares kits available for this product.

Always quote the individual part number or the number of the spares kit when ordering spare parts. Do not use the item number shown on the exploded drawing and referenced in the accompanying standard parts list.

## Consumables

Consumables are not available for sale and must be sourced locally due to restrictions on the transportation of these substances.

Consumables used in the assembly of the product are shown on the illustrations next to the part requiring the adhesive or lubricant. Consumables are listed in the standard parts list with the part number **CON**.

## Product enhancements

Product enhancements that affect a part used in the production of the product are released on Electronic Change Notifications (ECNs). Enhancements requiring a change to a part that affects the product from a certain serial number onward are listed in the Design Improvements section of this book.

## Explanatory notes

Product changes to spares kits and standard parts used for a period of time and then discontinued or changed due to product enhancements, are indicated by a commencing/finishing product serial number, for example: 0000/0999, 1000/1500.

Parts still used in the current production of the product are indicated by the commencing serial number followed by an oblique stroke and dash: 0000/-, 0999/-, 1500/-.

## ILLUSTRATED PARTS LIST

## Document History

Issue	Details/Changes	Page/s	Issue Date
	Initial release		2012-05-14

## Design Improvements

Part Affected	ECN Class 1	Details	Date	From Serial No.
			--	

## ILLUSTRATED PARTS LIST

**Abbreviations**

Abbreviation	Meaning
A	Ampere
A/R	as required
assy	assembly
csk	countersunk
c/w	complete with
dia.	diameter
ft	foot
Hex	hexagon
ID	inside diameter
in.	inch
kg	kilogram
lb	pound
LH	left hand
mm	millimetres
No.	number
PCD	pitch circle diameter
PCS	piece
NI	Not illustrated
NSS	Not sold separately
rad	radius
REQD	required
RH	right hand
st. st.	stainless steel
STD	standard
TOL	Tolerance

**Contents**

Follow Focus One System .....	4
Handwheel 35–19 .....	6
Main Bridge and Studio Rod Bridge Assemblies .....	10
Swingarm Assembly .....	14

**Symbols**

Lubricant



Adhesive



Torque setting



Spares kit available to end users.




Fitting instructions available.



Spares kit only available to Service Centres.

Fig 1.0 Follow Focus One System




C1241-0001-001-1

## Standard Parts List

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
<b>Follow Focus One System</b>							
Fig 1.0							
1	C1241-1100	Handwheel	35-19	0000/-		1	PCS
2	C1241-1200	Swing arm		0000/-		1	PCS
3	C1241-1400	Main bridge		0000/-		1	PCS
4	C1241-1300	Studio rod bridge		0000/-		1	PCS
5	C1241-1530	Set 10 marking disks		0000/-		1	PCS
6	C1241-2112	Marking disk, white, flat, moulded		0000/-		10	PCS
7	C1241-1700	Gear	Z35 0.8 m 10 mm face	0000/-		1	PCS
8	C1241-1800	Gear	Z50 0.6 m 7.5 mm face	0000/-		1	PCS
9	C1241-1900	Gear	Z60 0.5m 7.5 mm face	0000/-		1	PCS
10	C1241-1600	Gear	Z43 0.8 m 6 mm face	0000/-		1	PCS
11	C1241-2602	Screw, knurled		0000/-		1	PCS
12	95-050-0110	Washer	plain, M5	0000/-		1	PCS
13	C1241-2701	Gear	35-0.8M-10	0000/-		1	PCS
14	C1241-2801	Gear	50-0.6M-7.5	0000/-		1	PCS
15	C1241-2901	Gear	60-0.5M-7.5	0000/-		1	PCS
16	C1241-2601	Gear	43-0.8M-6	0000/-		1	PCS
NI	C1241-4980	User guide, Cine Follow Focus One	Issue 2	0000/-		1	PCS
NI	C1241-2621	Case insert		0000/-		1	PCS

Standard Parts List

Fig 2.0 Handwheel 35-19




C-1242-0002-001-1



## Standard Parts List

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
<b>Handwheel 35–19</b>							
Fig 2.0							
1	C1241-2117	Marking disk, glow, flat, moulded		0000/-		1	PCS
2	M004-103	Screw, countersunk head, pozidrive	M3 x 8 mm long	0000/-		2	PCS
3	C1241-1152	Handwheel and badge assembly		0000/-		1	PCS
4	C1241-2163	O'Connor logo ring		0000/-		1	PCS
5	C1241-1151	Handwheel overmoulding		0000/-		1	PCS
6	K554-004	Spring, plunger, ball	5mm dia., press in type	0000/-		3	PCS
7	C1241-2406	Screw, cone		0000/-		8	PCS
8	C1241-2105	Square coupling		0000/-		1	PCS
9	C1241-2113	Spacer	8.8 x 7.2 x 0.1 mm	0000/-		1	PCS
10	C1241-2115	Spacer	8.8 x 7.2 x 0.05 mm	0000/-		1	PCS
11	C1241-2114	Spacer	8.8 x 7.2 x 0.02 mm	0000/-		1	PCS
12	M003-704	Screw, cap head, socket	M2.5 x 6 mm long, stainless steel, din912	0000/-		3	PCS
13	C1241-2119	Front cover, moulded		0000/-		1	PCS
14	C1241-1154	Index carrier with nut		0000/-		1	PCS
15	NSS	Plastic tip, moulded		0000/-	C1241–1906	1	PCS
16	NSS	Knurled screw		0000/-	C1241–1906	1	PCS
17	M500-071	Nut, standard, hex, full	M4	0000/-		1	PCS
18	C1241-2120	Index carrier, moulded		0000/-		1	PCS
19	C1241-1160	Lock lever, RH, short assembly		0000/-		1	PCS
20	M004-724	Screw, low-profile, cap head, socket	M3 x 5mm long, stainless steel, din 7984	0000/-		1	PCS
21	K532-040	Spring, compression	7.94mm free length, 5.33mm OD x 5.56mm hole dia. x 4.18mm ID, 1.51n/mm rate	0000/-		1	PCS
22	C1241-2422	Lever		0000/-		1	PCS
23	C1241-2423	Spacer	8 x 4.2 x 0.3 mm	0000/-		1	PCS
24	C1241-2161	Stud	13.3	0000/-		1	PCS
25	M003-705	Screw, cap head, socket	M2.5 x 20 mm long, stainless steel	0000/-		2	PCS
26	C1241-2102	Clamp		0000/-		1	PCS
27	C1241–2410	Acc Coupling L		0000/-		1	PCS
28	M601-018	Washer, wave	6.17mm ID x 7.75mm OD	0000/-		3	PCS
29	C1241-2110	Spacer	7.8 x 6.2 x 0.1 mm	0000/-		1	PCS
30	P200-269	Bearing, ball, flanged	7 mm ID x 14 mm OD x 5 mm long	0000/-		2	PCS
31	C1241-2107	Belt	S3M-UG-144	0000/-		1	PCS
32	C1241-1130	Pulley	S3M-Z35-preassembly	0000/-		1	PCS
33	C1241-2132	Keeper disk	20 x 33.5 x 1	0000/-		1	PCS
34	C1241-2131	Pulley	S3M-Z35	0000/-		1	PCS
35	C1241-2103	Upper shaft		0000/-		1	PCS
36	P200-274	Bearing, ball, flanged	7 mm ID x 17 mm OD x 5 mm long	0000/-		2	PCS
37	C1241-1140	Pulley	S3M-Z19-preassembly	0000/-		1	PCS
38	C1241-2141	Pulley	S3M-Z19	0000/-		1	PCS
39	C1241-2142	Keeper disk	14.8 x 18 x 1	0000/-		1	PCS

Standard Parts List





C-1242-0002-001-1

A

**Standard Parts List**

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
40	C1241-2104	Lower shaft		0000/-		1	PCS
41	C1241-2125	Hex insert	M2.5	0000/-		2	PCS
42	C1241-1155	Housing with bushings, machined		0000/-		1	PCS
NI	Z002-086	Adhesive, instant, rubber and plastics	Loctite 406 Prism				

Fig 3.0 Main Bridge and Studio Rod Bridge Assemblies




C-1241-0001-002-1


Standard Parts List

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
<b>Main Bridge and Studio Rod Bridge Assemblies</b>							
Fig 3.0							
1	C1241-1420	Lock lever		0000/-		2	PCS
2	M004-724	Screw, low-profile, cap head, socket	M3 x 5mm long, stainless steel, din 7984	0000/-		2	PCS
3	K532-040	Spring, compression	7.94mm free length, 5.33mm OD x 5.56mm hole dia. x 4.18mm ID, 1.51n/mm rate	0000/-		2	PCS
4	C1241-2422	Lever		0000/-		2	PCS
5	C1241-2423	Spacer	8 x 4.2 x 0.3 mm	0000/-		2	PCS
6	C1241-2421	Stud	Hex, 18.8	0000/-		2	PCS
7	95-040-0110	Washer, plain, s/s	M4	0000/-		2	PCS
8	M606-025	Washer, nylon	4.3 mm ID x 9.0 mm OD x 0.8 mm thick, black	0000/-		2	PCS
9	C1241-2307	Stopper, moulded		0000/-		1	PCS
10	NSS	Screw, clamp		0000/-	C1241-1904	2	PCS
11	NSS	Dowel pin	2 mm dia. x 12 mm long	0000/-	C1241-1904	2	PCS
12	NSS	Flip lever		0000/-	C1241-1904	2	PCS
13	NSS	Spring, plunger, ball	4mm dia., press in type	0000/-	C1241-1904	2	PCS
14	NSS	Clamp bolt		0000/-	C1241-1904	2	PCS
15	NSS	Threaded piece		0000/-	C1241-1904	2	PCS
16	NSS	Dowel pin	3mm dia. x 26mm long	0000/-	C1241-1904	2	PCS
17	NSS	Clamp		0000/-	C1241-1904	2	PCS
18	NSS	Screw, cap head, socket	M2.5 x 4 mm long, stainless steel	0000/-	C1241-1904	2	PCS
19	NSS	Pressure piece		0000/-	C1241-1904	2	PCS
20	C1241-2301	Rod bridge		0000/-		1	PCS
21	NSS	Lock lever, LH, long assembly		0000/-	C1241-1907	1	PCS
22	NSS	Lock lever, RH, long assembly		0000/-	C1241-1907	1	PCS
23	NSS	Screw, low-profile, cap head, socket	M3 x 5mm long, stainless steel, din 7984	0000/-	C1241-1907	1	PCS
24	NSS	Spring, compression	7.94mm free length, 5.33mm OD x 5.56mm hole dia. x 4.18mm ID, 1.51n/mm rate	0000/-	C1241-1907	1	PCS
25	NSS	Lever		0000/-	C1241-1907	1	PCS
26	NSS	Spacer	8 x 4.2 x 0.3 mm	0000/-	C1241-1907	1	PCS
27	NSS	Stud, LH	22.7	0000/-	C1241-1907	1	PCS
28	NSS	Stud, RH	22.7	0000/-	C1241-1907	1	PCS
29	NSS	Screw, cap head, socket	M2.5 x 16 mm long, stainless steel, din912	0000/-	C1241-1902, C1241-1907	2	PCS
30	NSS	Eccentric, long		0000/-	C1241-1901	1	PCS
31	NSS	Screw, cone		0000/-	C1241-1901	4	PCS
32	NSS	Acc coupling		0000/-	C1241-1901	1	PCS
33	NSS	Bearing, ball, flanged	6 mm ID x 13 mm OD x 5 mm long	0000/-	C1241-1901	3	PCS
34	NSS	Spacer	7.8 x 6.2 x 0.1 mm	0000/-	C1241-1901	1	PCS
35	NSS	Spacer	7.8 x 6.2 x 0.05 mm	0000/-	C1241-1901	1	PCS
36	NSS	Spacer	7.8 x 6.2 x 0.02 mm	0000/-	C1241-1901	1	PCS
37	C1241-2410	Acc Coupling L		0000/-		1	PCS
38	NSS	Input shaft		0000/-	C1241-1901	1	PCS
39	NSS	Nut	M15 x 0.5	0000/-	C1241-1907	2	PCS

Standard Parts List



**B**




**C**

C-1241-0001-002-1

## Standard Parts List

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
40	NSS	Bearing, ball	15 mm OD x 24 mm x 5 mm long	0000/-	C1241-1903, C1241-1907	2	PCS
41	NSS	Spacer	23.7 x 21.7 x 0.1 mm	0000/-	C1241-1902, C1241-1903, C1241-1907	1	PCS
42	NSS	Spacer	23.7 x 21.7 x 0.05 mm	0000/-	C1241-1902, C1241-1903, C1241-1907	1	PCS
43	NSS	Spacer	23.7 x 21.7 x 0.02 mm	0000/-	C1241-1902, C1241-1903, C1241-1907	1	PCS
44	NSS	Output gear	Z25-M0.5	0000/-	C1241-1903, C1241-1907	1	PCS
45	NSS	Main bridge		0000/-	C1241-1902, C1241-1907	1	PCS
NI	Z002-115	Adhesive, threadlock	Loctite 243				
NI	Z150-105	Lubricant, grease	Rocol, foodlub high-temp				
NI	Z002-075	Adhesive, screw locking	Loctite 222				


Fig 4.0 Swingarm Assembly




## Standard Parts List

Item	Part No.	Part Name	Technical Data	Serial No.	Kit Number	Qty	Unit
<b>Swingarm Assembly</b>							
Fig 4.0							
1	C1241-2206	Knob screw		0000/-		1	PCS
2	NSS	Retaining nut		0000/-	C1241-1905, C1241-1908	1	PCS
3	NSS	Screw, countersunk head, Pozidrive	M2 x 4 mm long, stainless steel, din 965	0000/-	C1241-1905, C1241-1908	4	PCS
4	NSS	Cover		0000/-	C1241-1905, C1241-1908	1	PCS
5	M003-052	Screw, large pan head, slotted	M2.5 x 5mm long, stainless steel, din 921	0000/-		1	PCS
6	C1241-2203	Eccentric		0000/-		1	PCS
7	P200-271	Bearing, ball	5 mm OD x 11 mm ID x 5 mm long	0000/-		1	PCS
8	NSS	Bearing, ball	15 mm ID x 21 mm OD x 4 mm long	0000/-	C1241-1908	2	PCS
9	NSS	Spacer	16.8 x 15.2 x 0.1 mm	0000/-	C1241-1905, C1241-1908	1	PCS
10	NSS	Spacer	16.8 x 15.2 x 0.05 mm	0000/-	C1241-1905, C1241-1908	1	PCS
11	NSS	Spacer	16.8 x 15.2 x 0.02 mm	0000/-	C1241-1905, C1241-1908	1	PCS
12	NSS	Arm, output		0000/-	C1241-1908	1	PCS
13	NSS	Keeper disk	16 x 19.5 x 1.2	0000/-	C1241-1908	2	PCS
14	NSS	Pulley, coupling	S3M-Z20	0000/-	C1241-1908	1	PCS
15	C1241-1210	Arm, input		0000/-		1	PCS
16	C1241-2213	Keeper disk	8 x 19 x 1	0000/-		1	PCS
17	C1241-2211	Pulley	S3M-Z20	0000/-		1	PCS
18	C1241-2212	Coupling		0000/-		1	PCS
19	NSS	Belt	S3M-NG-162	0000/-	C1241-1908	1	PCS
20	NSS	Arm		0000/-	C1241-1905, C1241-1908	1	PCS


Spares Kit List




C1241-1901




C1241-1902




C1241-1903




C1241-1904




C1241-1905



C1241-1906



C1241-1907




C1241-1908

C1241-0001-900-1


## Spares Kit List

Kit No.	Kit/Part Name	Technical Data	Serial No.	Qty	Unit
<b>C1241-1901</b>	<b>Input Preassy</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Input shaft		0000/-	1	PCS
NSS	Bearing, ball, flanged	6 mm ID x 13 mm OD x 5 mm long	0000/-	3	PCS
NSS	Acc coupling		0000/-	1	PCS
NSS	Eccentric, long		0000/-	1	PCS
NSS	Screw, cone		0000/-	4	PCS
NSS	Spacer	7.8 x 6.2 x 0.02 mm	0000/-	1	PCS
NSS	Spacer	7.8 x 6.2 x 0.05 mm	0000/-	1	PCS
NSS	Spacer	7.8 x 6.2 x 0.1 mm	0000/-	1	PCS
<b>C1242-1902</b>	<b>Main Bridge</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Main bridge		0000/-	1	PCS
NSS	Spacer	23.7 x 21.7 x 0.1 mm	0000/-	2	PCS
NSS	Spacer	23.7 x 21.7 x 0.05 mm	0000/-	2	PCS
NSS	Spacer	23.7 x 21.7 x 0.02 mm	0000/-	2	PCS
NSS	Screw, cap head, socket	M2.5 x 16 mm long, stainless steel, din912	0000/-	2	PCS
<b>C1241-1903</b>	<b>Output Gear</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Spacer	23.7 x 21.7 x 0.1 mm	0000/-	2	PCS
NSS	Spacer	23.7 x 21.7 x 0.05 mm	0000/-	2	PCS
NSS	Spacer	23.7 x 21.7 x 0.02 mm	0000/-	1	PCS
NSS	Bearing, ball	15 mm OD x 24 mm x 5 mm long	0000/-	2	PCS
NSS	Output gear	Z25-M0.5	0000/-	1	PCS
<b>C1241-1904</b>	<b>Rod Clamp</b>		<b>0000/-</b>		
	<b>Comprising:</b>				
NSS	Clamp		0000/-	1	PCS
NSS	Pressure piece		0000/-	1	PCS
NSS	Screw, clamp		0000/-	1	PCS
NSS	Clamp bolt		0000/-	1	PCS
NSS	Flip lever		0000/-	1	PCS
NSS	Spring, plunger, ball	4mm dia., press in type	0000/-	1	PCS
NSS	Dowel pin	2 mm dia. x 12 mm long	0000/-	1	PCS
NSS	Threaded piece		0000/-	1	PCS
NSS	Dowel pin	3mm dia. x 26mm long	0000/-	1	PCS
NSS	Screw, cap head, socket	M2.5 x 4 mm long, stainless steel	0000/-	1	PCS


Spares Kit List




C1241-1901




C1241-1902




C1241-1903




C1241-1904




C1241-1905



C1241-1906



C1241-1907




C1241-1908

C1241-0001-900-1


## Spares Kit List

Kit No.	Kit/Part Name	Technical Data	Serial No.	Qty	Unit
<b>C1241-1905</b>	<b>Arm Housing</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Spacer	16.8 x 15.2 x 0.02 mm	0000/-	2	PCS
NSS	Spacer	16.8 x 15.2 x 0.05 mm	0000/-	2	PCS
NSS	Spacer	16.8 x 15.2 x 0.1 mm	0000/-	1	PCS
NSS	Retaining nut		0000/-	1	PCS
NSS	Arm		0000/-	1	PCS
NSS	Screw, countersunk head, Pozidrive	M2 x 4 mm long, stainless steel, din 965	0000/-	4	PCS
NSS	Cover		0000/-	1	PCS
<b>C1241-1906</b>	<b>Index Screw</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Plastic tip, moulded		0000/-	1	PCS
NSS	Knurled screw		0000/-	1	PCS
<b>C1241-1907</b>	<b>Main Bridge and Output</b>		<b>0000/-</b>		<b>PCs</b>
	<b>Comprising:</b>				
NSS	Main bridge		0000/-	1	PCS
NSS	Bearing, ball	15 mm OD x 24 mm x 5 mm long	0000/-	2	PCS
NSS	Output gear	Z25-M0.5	0000/-	1	PCS
NSS	Spacer	23.7 x 21.7 x 0.02 mm	0000/-	1	PCS
NSS	Spacer	23.7 x 21.7 x 0.05 mm	0000/-	1	PCS
NSS	Spacer	23.7 x 21.7 x 0.1 mm	0000/-	1	PCS
NSS	Nut	M15 x 0.5	0000/-	2	PCS
NSS	Screw, cap head, socket	M2.5 x 16 mm long, stainless steel, din912	0000/-	2	PCS
NSS	Lock lever, LH, long assembly		0000/-	1	PCS
NSS	Lever		0000/-	1	PCS
NSS	Stud, LH	22.7	0000/-	1	PCS
NSS	Screw, low-profile, cap head, socket	M3 x 5mm long, stainless steel, din 7984	0000/-	1	PCS
NSS	Spring, compression	7.94mm free length, 5.33mm OD x 5.56mm hole dia. x 4.18mm ID, 1.51n/mm rate	0000/-	1	PCS
NSS	Spacer	8 x 4.2 x 0.3 mm	0000/-	1	PCS
NSS	Lock lever, RH, long assembly		0000/-	1	PCS
NSS	Lever		0000/-	1	PCS
NSS	Stud, RH	22.7	0000/-	1	PCS
NSS	Screw, low-profile, cap head, socket	M3 x 5mm long, stainless steel, din 7984	0000/-	1	PCS
NSS	Spring, compression	7.94mm free length, 5.33mm OD x 5.56mm hole dia. x 4.18mm ID, 1.51n/mm rate	0000/-	1	PCS
NSS	Spacer	8 x 4.2 x 0.3 mm	0000/-	1	PCS


Spares Kit List




C1241-1901




C1241-1902




C1241-1903




C1241-1904




C1241-1905



C1241-1906



C1241-1907



C1241-1908

C1241-0001-900-1

## Spares Kit List

Kit No.	Kit/Part Name	Technical Data	Serial No.	Qty	Unit
<b>C1241-1908</b>	<b>Arm Housing Preassy</b>		<b>0000/-</b>		<b>PCS</b>
	<b>Comprising:</b>				
NSS	Retaining nut		0000/-	1	PCS
NSS	Bearing, ball	15 mm ID x 21 mm OD x 4 mm long	0000/-	2	PCS
NSS	Arm		0000/-	1	PCS
NSS	Belt	S3M-NG-162	0000/-	1	PCS
NSS	Arm, output		0000/-	1	PCS
NSS	Pulley, coupling	S3M-Z20	0000/-	1	PCS
NSS	Keeper disk	16 x 19.5 x 1.2	0000/-	2	PCS
NSS	Screw, countersunk head, Pozidrive	M2 x 4 mm long, stainless steel, din 965	0000/-	4	PCS
NSS	Cover		0000/-	1	PCS
NSS	Spacer	16.8 x 15.2 x 0.1 mm	0000/-	1	PCS
NSS	Spacer	16.8 x 15.2 x 0.05 mm	0000/-	1	PCS
NSS	Spacer	16.8 x 15.2 x 0.02 mm			

# CFF-1 Follow Focus One C1241-0001

## **HEADQUARTERS**

2701 N. Ontario St.  
Burbank, CA 91504  
USA  
Tel: +1 818 847 8666  
Fax: +1 818 847 1205

## **USA**

709 Executive Blvd  
Valley Cottage  
New York 10989  
USA  
Tel: +1 845 268 0100  
Fax: +1 845 268 9324

## **UK**

William Vinten Building  
Western Way  
Bury St Edmunds  
Suffolk IP33 3TB  
Tel: +44 1284 776 700  
Fax: +44 1284 750 560

## **BRAZIL**

Rua Quintana, 950 – cj.32  
Brooklin  
São Paulo, 04569-011  
Brazil  
Tel: +55 11 5102 4001  
Fax: +55 11 5103 1164

## **CHINA**

Room 706, Tower B  
Derun Building  
YongAn Dongli A No. 8  
Jianwai Ave., Chaoyang District  
100022 Beijing, China  
Tel: +86 10 8528 8748  
Fax: +86 10 8528 8749

## **FRANCE**

171 Avenue des Grésillons  
92635 Gennevilliers CEDEX  
France  
Tel: +33 8 20 82 13 36  
Fax: +33 8 25 82 61 81

## **GERMANY**

Erfurter Straße 16  
85386 Eching  
Germany  
Tel: +49 89 321 58 200  
Fax: +49 89 321 58 227  
Gebäude 16  
Planiger Straße 34  
55543 Bad Kreuznach  
Germany  
Tel: +49 671 483 43 30  
Fax: +49 671 483 43 50

## **JAPAN**

P.A. Building 4F  
3-12-6 Aobadai  
Meguro-ku  
Tokyo 153-0042  
Japan  
Tel: +81 3 5457 1381  
Fax: +81 3 5457 1382

## **SINGAPORE**

6 New Industrial Road  
#02-02 Hoe Huat Industrial Building  
Singapore 536199  
Tel: +65 629 757 76  
Fax: +65 629 757 78